

38252

TEVOSOV, A. M.

Zabolevaniye mulov infektsionnoy anemii v estestvennykh usloviyakh. Trudy
Azerbaydzh. nauch.-issled. vet optyt. stantsii, t. III, 1949, s. 81-36.
- Na azerbaydzh. i rus. yaz.

TEVOSOV, A. M.

Doc Vet Sci - (diss) "Epizootiology of brucellosis and measures for combating it in the Azerbaijan SSR." Baku, 1961. 26 pp; (Ministry of Agriculture RSFSR, Leningrad State Veterinary Inst); 200 copies; free; list of author's works on pp 25-26 (17 entries); (KL, 6-61 sup, 234)

TEVOSOV, A. M. (Candidate of Veterinary Sciences, Azerbaydzhan Scientific Research Veterinary Institute.)

"Influence of Pregnancy upon the Development of Immunity in Cows Vaccinated against Brucellosis."
Veterinariya, vol. 38, no. 11, November 1961, p. 27

TEVOSOV, A.M.

Duration of immunity in animals inoculated with strain 19
vaccine. Veterinariia 38 no.9:25-27 S '61. (MIRA 16:8)

1. Azerbaydzhanskiy nauchno-issledovatel'skiy veterinarnyy
institut.

38253 TEVOSOV, A. M.

Materialy k voprosy o vospriimchivosti oslov i mulov k infektsionnoy anemii noshadey. Trudy Azerbaydzh. Nauch.-issled. Vet. optyt. stantsii, T. III, 1949, s. 88-96

TEVOSOV, A. M.

TERENT'YEV, F. A., professor; IVANOV, B. G. (VIEV); TETVOSOV TEVOSOV, A.M., (Azerbaiydzhan VGS((Veterinary Experimental Station)); MIKHAILOVA, I. F. (Gruziya NIVI ((Scientific Research Veterinary Institute))

"Experiment on Immunization of Guinea-Pigs and Sheep with Inactivated Brucella Vaccine VIEV"

As a premise for working out a method of vaccination with brucellae culture, inactivated by formalin, served the studies of F. A . Terent'yev and Stefanova on the nature of immunity in case of malignant anthrax. It was established through these studies that, in case of immunogenesis of malignant anthrax, exceptional importance must be attached to the post-vaccination reaction to the introduction of the antigen and, in connection with it, the involvement of nervous system in the process of vaccination.

Veterinariya, No. 3, March 1952, pp 28-31 (Material Received by the Editors of Veterinariya)
U-4863

TEVOSOV, S.P.

~~Forms of the adsorption of O₂, CO, CO₂ on a nickel oxide. Trudy Inst.khim. AN Azerb. SSR no.13:29-37 '54.~~ (MIRA 8:6)
(Nickel oxides) (Adsorption)

TEVOSOV, S.P.; ZUL'FUGAROV, Z.G., doktor khim.nauk, red.; MIKELADZE, G.,
red.izd-va; AGAYEVA, Sh., tekhn.red.

[Study of electrochemical methods for obtaining iodine from
oil field waters] Issledovanie elektrokhimicheskikh metodov
polucheniia ioda iz neftianykh vod. Baku, Izd-vo Akad.nauk
Azerbaidzhanskoi SSR, 1959. 188 p. (MIRA 12:12)
(Iodine) (Oil field brines)

TEVOSOV, S.P.; IBRAGIMHEKOVA, I.F.

Adsorption of molecular iodine by activated coal in a boiling
bed. Trudy Inst. khim. AN Azerb. SSR 16:40-45 '57.

(MIRA 12:9)

(Fluidization)(Adsorption)

"APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001755520002-4

APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001755520002-4"

TEVOSOV, S.P.; ZUL'FUTAROV, Z.G.; DANISOVA, N.A.; EFENDIYEV, G., redaktor

[Desorption of iodine from coal by electrochemical methods]
Elektrokhimicheskif metod desorbtsii ioda s uglia. Baku, Izd-vo
Akad. nauk Azerbaidzhanskoi SSR, 1951. 54 p. (MLRA 7:11)
(Iodine) (Electrochemistry, Industrial)


TEVOSOV, S.P.

Electrochemical activation of aluminosilicate catalysts. Trudy Inst.
khim. AN Azerb. SSR 15:15-20 '56. (MLRA 9:11)
(Catalysts, Aluminum silicate)

TEVOSOV, S.P.

USSR

Forms of adsorption of oxygen, carbon monoxide, and carbon dioxide on nickel oxide. S. P. Tevosov. Trudy Inst. Khim. Akad. Nauk Azerbaiszana S.S.R. 13, 29-36 (1954) (in Russian). From -80 to 100° the adsorption of O on Ni oxide is of mol. type. CO at temp. under 0° also shows mol. adsorption, but above 0° the activated type of adsorption takes place. CO₂ adsorption from -10.5° to 100° is of activated type. The adsorption characteristics of the oxide depend on the method of prepa. and on its magnetic susceptibility. The highest susceptibility occurs in the oxide prepd. by hydrolysis of the NH₄ complex whereas a specimen prepd. by heating the nitrate to 500° has a very low magnetic susceptibility; the same order of activity is found in the adsorption by these specimens. The oxide prepd. from the complex has the compn. NiO · 0.5H₂O.



~~TEVOLOV~~ ~~YANOVSKY~~ GASAKA, I.

On 10/10/85, I was assigned to re-examine drilling fluids by
the ultrasonic electromechanical method. Study Inst. Min.
of Russ. Acad. Sci., Moscow. (VMA 34:10)
(Oil well drilling fluids)
(Udine)

TEVOSOV, S.P.; ANDREYKO, O.V.

Oxidation of bromine ions in concentrated oil well water by the
electrochemical method. Azerb.khim.zhur. no.2:141-148 '60.
(MIRA 14:8)

(Bromine) (Oil wells) (Electrochemistry)

TEVOSOV, S.P.

Oxidability of oil well formation waters and means of reducing it.
Trudy Inst.khim. AN Azerb.SSR 18:47-54 '60. (MIRA 14:9)
(Oil well drilling fluids)

BARDIN, I.; BEIAN, R.; BEKHTIN, N.; BOYKO, V.; BORISOV, A.; BYCHKOV, V.;
VASILENKO, S.; VINOGRADOV, V.; VISHNEVSKIY, A.; VODNEV, G.; DVORIN,
S.; DZHAPARIDZE, Ye.; DILENKO, V.; D'YAKOV, N.; ZHURAVLEV, S.;
ZAKHAROV, A.; IVANOV, I.; KIRSANOV, M.; KOLYADA, G.; KOROBOV, P.;
LESKOV, A.; LUKICH, L.; LYUBIMOV, A.; MELESHKIN, S.; MYRTSYMOV, A.;
PURTSEV, M.; PETRUSHA, F.; PITERSKIY, A.; POPOV, I.; RAYZER, D.;
ROZHKOV, A.; SAPOZHNIKOV, L.; SEDOV, P.; SOKOLOV, P.; TEVOSYAN, I.;
TIKHONOV, N.; TISHCHENKO, S.; FILIPPOV, B.; FOMENKO, N.; SHELKOV,
A.; SHREMGET'YEV, A.

Fedor Aleksandrovich Merkulov. Koks i khim.no.7:62 '56. (MLRA 9:12)
(Merkulov, Fedor Aleksandrovich, 1900-1956)

TEVOSYAN, I.

KHRUSHCHEV, N.S.; KAGANOVICH, L.M.; SHVERNIK, N.M.; PERVUKHIN, M.G.; ZASYAD'KO, A.F.
TEVOSYAN, I.F.; MALYSHEV, V.A.; BAYBAKOV, N.K.; BESHCHEV, B.P.; KUZ'MICH, A.S.
~~MEL'NIKOV, L.G.~~; GRAFOV, L.Ye.; ZADEMIDKO, A.N.; MEL'NIKOV, N.V.; LALAYANTS
A.M.; KOVALEV, I.V.; POCHENKOV, K.I.; BARABANOV, F.A.; KRASNIKOVSKIY, G.V.;
MINDELI, E.O.; ROSSOCHINSKIY, I.Ya.

Egor Trofimovich Abakumov; obituary. Mast.ugl.2 no.11:30 N '53.

(MLRA 6:11)

(Abakumov, Egor Trofimovich, 1895-1953)

SOV/112-58-2-2114

Translation from: Referativnyy zhurnal, Elektrotehnika, 1958, Nr 2, p 53 (USSR)

AUTHOR: Tevosyan, T.

TITLE: Mechanized Columns for Constructing Rural Electric Transmission Lines and Transformer Substations (Mekhanizirovannyye kolonny po stroitel'stvu sel'skikh liniy elektroperekedachi i transformatornykh podstantsiy)

PERIODICAL: Gor. i sel'sk. str.-vo, 1957, Nr 2, pp 17-19

ABSTRACT: In 1955, mechanized columns were organized in municipal and rural construction agencies for the complex mechanization of the construction and erection work in the building of electric transmission lines and substations. A mechanized column comprises the following mechanisms: a type BIK-9 hole drill and pull-jack combination with a type DT-54 tractor; a motor pole-hole drill mounted on a DT-54 tractor; ST3-NATI tractors; a type VI-23 telescopic erection tower mounted on a ZIS-151 truck; a 4-ton motor crane; ZhES-9 mobile electric stations, and an electric welding set. A mechanized column does line layout, pole-hole drilling, simultaneous wire uncoiling for three phases,

Card 1/2

SOV/112-58-2-2114

Mechanized Columns for Constructing Rural Electric Transmission Lines and

wire spanning, etc. Experience has shown that mechanized columns are most efficient in the construction of transmission lines with a total length of 200-300 km. It is expedient to equip the mechanized column with machines that can each perform a number of operations; this cuts the total number of machines and assures greater mobility for the column.

P.V.K.

Card 2/2

TEVOSYAN, T.A., inzh.

Concerning further developments in rural electrification. Elek.sta.
32 no.8:2-6 Ag '61. (MIRA 14:10)
(Electricity in agriculture)

TEVOSYAN, T.A., inzh.

System for agricultural electrification in the U.S.S.R. Elek.sta.
29 no.1:66-68 Ja '58. (MIRA 11:2)
(Rural electrification)

ALYSHEV, M.Ya.; BUDZKO, I.A.; ZLATKOVSKIY, A.P.; KRASNOV, V.S.;
KULEFEEV, G.P.; RYZHENKO, I.Ya.; SYROMYATNIKOV, I.A.;
~~TEVOSYAN, T.A.~~; EBIN, L.Ye.

A.M. Sarkisian; obituary. Elektrichestvo no.5:94 My '63.
(MIRA 16:7)
(Sarkisian, Andranik Margarovich, 1904-1963)

TEVOSYAN, V.

Awaiting the new grain crop. Muk-elev. prom. 24 no.6:3-5 Je '58.
(MIRA 11:7)

1.Chlen kollegii Ministerstva khleboproduktov SSSR.
(Grain trade)

TAVOSYAN, V.T., red.

[Grain trade and the management of Soviet grain elevators and granaries during the past 40 years, 1917-1957; a collection of articles] Khlebooborot i elevatorno-skladskoe khoziaistvo SSSR za 40 let (1917-1957 gg.); sbornik statei. Moskva, Khleboizdat, 1957. 246 p. (MIRA 11:3)

(Grain trade) (Grain elevators)

TEVOSYAN, V.T.; MASHKOV, B.M.; BIRYUKOV, F.I.; D'YACHENKO, V.M.,
red.; GOLUBKOVA, L.A., tekhn. red.

[Manual on the quality of grain and grain products] Spravochnik
po kachestvu zerna i produktov ego pererabotki. Moskva, Zagot-
izdat, 1962. 455 p. (MIRA 15:12)
(Grain trade)

TEVOSYAN, V.; PIMANOV, A.

Give special attention to the procurement and storage of strong and durum wheats. Muk.-elev. prom. 26 no.6:3-5 Je '60.

(MIRA 13:12)

1. Zamestitel' nachal'nika Proizvodstvenno-tehnicheskogo upravleniya Goskhlebkomiteta (for Tevosyan). 2. Glavnnyy tekhnolog po zernu Proizvodstvenno-tehnicheskogo upravleniya Goskhlebkomiteta (for Pimanov).

(Wheat--Storage)

ACCESSION NR: AP4018291

S/0144/64/000/001/0093/0098

AUTHOR: Tevryukov, A. A.

TITLE: Regulation of semiconductor power rectifiers by saturable reactors

SOURCE: IVUZ. Elektromekhanika, no. 1, 1964, 93-98

TOPIC TAGS: rectifier, semiconductor rectifier, power rectifier, semiconductor rectifier regulation, saturable reactor, saturable reactor rectifier regulation

ABSTRACT: An experimental automatic-control system for a high-power semiconductor rectifier is described (see Enclosure 1). Its theoretical investigation is claimed but not presented in the article. A high-speed transistorized automatic-control system was developed for VK-200 semiconductor power diodes operating in a 3-phase circuit with DN6 saturable reactors. A circuit diagram of the control system is briefly explained. The estimated voltage-temperature coefficient is 0.009% per 1C within -50+60C; the current-temperature coefficient

Card 1/3
2

ACCESSION NR: AP4018291

is 0.003% per 1C. The delay time (estimated from the transfer characteristics) is 0.5T or less upon throwing-on the load from 10% to 100% (18 kw). The "current-type" scheme of controlling saturable reactors is dealt with. Orig. art. has: 3 figures.

ASSOCIATION: none

SUBMITTED: 22Oct63

DATE ACQ: 23Mar64

ENCL: 01

SUB CODE: EE

NO REF SOV: 006

OTHER: 003

Card 2/3

LEVYUKOV, A.A.

PAGE 1 BOOK INFORMATION

NOV/1952

Tsentral'naya aerologicheskaya observatoriya

Trudy, vyp. 33. (Transactions of the Central Aerological Observatory, No. 33)

Moscow, 1959. 91 p., 650 copies printed.

Additional Sponsoring Agency: USSR. Glavnoye upravleniye goskomatomologicheskoy aviaziyey.

Ed.: (Title page): A.M. Shustov. Ed. (Index book): N.I. Serebrenik.

Tech. Ed.: V. Ye. Moshkov.

PURPOSE: This publication is intended for aerologists and aircraft instrument designers.

CONTENTS: This collection of 11 articles deals mainly with the problem of finding the best method of measuring atmospheric turbulence from aircraft. A detailed description of the aerological instruments used for this purpose is given. Wind observations by means of radio teodolite is discussed. References accompany individual articles.

Vladimirov, V. and O.M. Shustov. Obtaining the Energy Spectrum of the Atmospheric Random Process. Results Graphically	29
Tsvetkov, A.A. Electrical Integration of G-Forces on a Constant Voltage Transformer. An Electromechanical Converter	33
Shustov, O.M. Electronic Counter of G-Forces	39
Gorobets, A.G. and A.A. Chernikov. Investigation of Turbulence Generated by Waves	53
Polyanskiy, S.M. Shustov, and O.M. Shustov. Improved Aircraft Electromechanical G-Force Integrator	64
Zel'dovich, I.D. Effect of the Limit of Temperature Detectors on Aerological Instruments Upon the Results of the Investigation of Atmospheric Layers	76
Burkhardt, Th., V. Ye. and S.P. Dantchenko. Some Data on the Structure of Atmospheric Turbulence During Aircraft Landing	79
Zel'dovich, I.D. and A.M. Shustov. Accuracy of the Determination of Velocity and Acceleration of Aircraft in Different Altitudes by Means of the Telemagnetic Radio Methodology	85
AVAILABILITY: Library of Congress	

Card 5/

10-33-60

(6)

TEVRYUKOV, A.A.

Electrointegrator of heaviness shifts in constant voltage amplifiers with an electromechanical transformer. Trudy TSAO no.31: 43-49 '59.
(Atmospheric turbulence) (Aeronautics in meteorology)
(Meteorological instruments)

TEVRYUKOV, Aleksey Andreyevich, aspirant

Regulation of large semiconductor rectifiers controlled by means of
saturable reactors. Izv.vys.ucheb. zav.; elektromekh. 7 no.1:93-98
'64. (MIRA 17:9)

1. Moskovskiy fiziko-tehnicheskiy institut.

TEVS, N. G., N. S. KOVERDIAEV and S. D. REKHTER

Reduktorostroenie na Novo-Kramatorskom mashinostroitel'nom zavode imeni I.
V. Stalina. Moskva, Mashgiz, 1946. 339 p. illus.

Reduction gear construction at the Novo-Kramatorsk I. V. Stalin machine-building
plant.

DLC: TJ202.T4

SO: Manufacturing and Mechanical Engineering in the Soviet Union, Library
of Congress, 1953.

122-5-9/36

AUTHOR: Tevs, N.G. (Engineer)

TITLE: A New Heavy Horizontal Boring Mill (Novyy tyazhelyy
gorizontal'no-rastochnyy stanok)

PERIODICAL: Vestnik Mashinostroyeniya, 1957, Nr 5, pp.23-24 (USSR)

ABSTRACT: A new heavy horizontal boring mill, developed at the plant Tyazhstankogidropress imeni A.I.Yefremova, is illustrated and briefly described. The face plate diameter is 1500 mm, the spindle diameter 320 mm. The main spindle lift is 5000 mm and the displacements of the front support are 6000 and 800 mm along and across the spindle respectively. The main spindle advance is 2500 mm. The main drive has a power of 88 hp. Control is accomplished from a control box suspended from a swinging outrigger whose motion is itself controlled by push buttons on the box. The box also carries selsyn actuated feed indicators. The front support has a feed motion along the spindle axis which permits the boring of large holes (up to 3000 mm diameter) by a tool attached to the radial carriage moving across the face plate. There are 2 photographs.

AVAILABLE: Library of Congress.

Card 1/1

~~TEVS, N.G., inzh.~~

New twinned milling-boring machines. Vest. mash. 38 no.3:35 Mr '58.
(Milling machines) (MIRA 11:2)
(Drilling and boring machinery)

TEVS, N.G.

The MR-1 coupled heavy-duty boring machine. Biul.tekh.-ekon.inform.
no.2:19-21 '58. (MIRA 11:4)
(Drilling and boring machinery)

TEVS, N.G., inzhener.

New heavy horizontal boring machines. Vest.mash. 37 no.5:23-24
My '57. (MLRA 10:5)
(Drilling and boring machinery)

Tevs, N.G.

Subject : USSR/Engineering AID P - 5161
Card 1/1 Pub. 103 - 2/19
Authors : Browman, Ya. S., and Tevs, N. G.
Title : Selection of electric drive for feeding mechanisms of heavy machine-tools.
Periodical : Stan. i instr., 6, 9-12, Je 1956
Abstract : The authors discuss several electric drives which are used for heavy machine-tools. They analyze the d-c motor drive with a wide speed range of stepless transmission, the d-c motor drive with a two-step transmission box, and the two-motor drive with a differential reduction gearing. The authors discuss and emphasize the importance of the proper selection of a drive for the efficient use of heavy machine-tools. Four drawings and 5 graphs.
Institution : Novosibirsk Heavy Hydraulic Pressing Machine Plant.
("Tyazhstankogidropress")
Submitted : No date

TEVS, N.G.

Subject : USSR/Engineering AID P - 5189
Card 1/1 Pub. 103 - 11/24
Authors : Brovman, Ya. S., and N. G. Tevs
Title : Stability of cutting with a devided electric drive
of heavy-duty type.
Periodical : Stan. i instr., 7, 33-34, Jl 1956
Abstract : The authors discuss the heavy-duty cutting process
done by machines which have two separate electric drives,
one for general motion and the other for feed only. The
analysis reveals the high and low points of such machining.
Practical suggestions are given. Six formulae and 1
diagram.
Institution : None
Submitted : No date

BROVMAN, Ya.S.; TEVS, N.G.

Steadiness of cutting operations with divided heavy-duty
electric drive. Stan. i instr. 26 no.7:33-34 Jl '56.
(MLRA 9:10)

(Metal cutting)

TEVS, N. G.

Reduction gear manufacture in the Stalin Novo-Kramatorskii Machine Construction
Plant Moskva, Gos. nauch.-tekhn. izd-vo mashinostroit. lit-ry, 1946. 339 p.
(49-55366)

TJ202.T⁴

AID P - 4309

Subject : USSR/Engineering

Card 1/1 Pub. 128 - 9/26

Author : Tevs, N. G., Engineer

Title : New horizontal boring machine

Periodical : Vest. mash., #3, p. 34, Mr 1956

Abstract : A new model of a universal horizontal boring machine
for machining heavy parts (up to 200 t) is described.
Photo.

Institution : None

Submitted : No date

AID P - 4843

Subject : USSR/Engineering
Card 1/1 Pub. 103 - 3/26
Authors : Brovman, Ya. S. and N. G. Tevs
Title : Selection of a main electric drive for a heavy-duty metal-cutting machine.
Periodical : Stan. i instr., 2, 11-14, F 1956
Abstract : The authors present various considerations affecting the smoothness and efficiency of operation of a heavy-duty metal-cutting machine. They analyze several electric drives combined with mechanical transmissions and give graphical illustrations. One photo, 3 drawings and 4 diagrams.
Institution : None
Submitted : No date

BROVMAN, Ya.S.; TEVS, N.G.

Selecting suitable electric drives for the feed mechanisms of heavy
machine tools. Stan. i instr. 27 no. 6:9-11 Je '56. (MIRA 9:9)
(Machine tools--Electric driving)

BROVMAN, Ya.S.; TEVS, N.G.

Selecting the type of electric driving for the working motion of
heavy machine tools. Stan. i instr. 27 ne.2:11-14 F '56.
(Machine tools--Electric driving) (MLRA 9:7)

TEVS, N. G.

USSR/ Engineering - Machine tools

Card : 1/1
Authors : Tevs, N. G., Engineer
Title : New heavy horizontal-boring machine
Periodical : Vest. Mash., 34, Ed. 6, 35 - 36, June 1954
Abstract : A heavy horizontal-boring machine, is described. Technical specifications i. e., capacity, weight, dimensions, etc., are given. Illustration.
Institution : ...
Submitted : ...

TEVS, N.G., inzhener.

New heavy horizontal boring machine. Vest.mash. 34 no.6:35-36
Je '54.
(Drilling and boring machinery) (MLRA 7:7)

PAMFILOV, A.V.; LOPUSHANSKAYA, A.I.; TEVTUL', Ya.Yu.

Ammonium tetrathiocyanodianiline chromate (III). Ukr. khim. zhur.
31 no.6:545-550 '65.
(MIRA 18:7)

1. Chernovitskiy gosudarstvennyy universitet.

TEVZADZE, R.G.

Differentiation of the length of acoustic stimulations. Soob. AH
Gruz. SSR 20 no. 2:211-218 F '58. (MIRA 11:7)

1. Tbilisskiy gosudarstvennyy universitet im. Stalina. Predstavleno
akademikom I.S.Beritashvili.
(Hearing)

BARAMIDZE, T.G.; KATAMADZE, N.M.; Prinimali uchastiye: BURDULI, L.;
TEVZADZE, I.I. YELISEYEVA, L.

Working conditions of personnel exposed to ionizing radiations.
Soob. AN Gruz. SSR 40 no.2:463-469 N '65. (MIRA 19:1)

1. Institut onkologii, Tbilisi. Submitted Feb. 26, 1965.

TEVS, V.G.

Materials on the geographical distribution of heather. Trudy len. kniz...
farm. inst. no.17:29-37 '64.
(MIRA 18:1)

I. Kafedra farmakognozii i botaniki Leningradskogo khimiko-farmatsevticheskogo instituta.

TEVS, V.C.

Materials on the biology and geographical distribution of the winter-green Pyrola rotundifolia. Trudy Len. khim.-farm. inst. no.17*232-245
'64.
(MIRA 18:1)

KUCHEROV, R.Ya.; TEVZADZE, G.A.

Separation cascade consisting of diffusion columns. Atom. energ. 6
no.2:207-208 F '59.
(Isotope separation) (Diffusion) (MIRA.12:3)

TEVZADZE, G.A.

Letter to the editor. Izv. AN Arm. SSR. Ser. fiz.-mat, nauk 16
no. 6:147 '63.
(MIRA 17:8)

24.4100 (also 27:2)

43356
S/022/62/015/005/001/001
D218/D308

AUTHOR: Tevzadze, G.A.

TITLE: On the stability of a system of three bodies

PERIODICAL: Akademiya nauk Armyanskoy SSR. Izvestiya. Seriya fiziko-matematicheskikh nauk, v. 15, no. 5, 1962, 67-97

TEXT: A three-body system A, B, C of the Trapezium type is considered. The interaction between the bodies is Newtonian (masses m_0, m_1, m_2 ; distances $r_{01} = AB, r_{02} = AC, r = r_{21} = CB$). It is assumed that B and C can approach each other closely, and then

$$r \ll r_{01} \quad r \ll r_{02}$$

The following theorems are proved: Theorem 1. If the equalities

$$\rho(t_0) \geq 2M^2/3 |h| \quad (\alpha)$$

$$\rho(t_0)^2 \geq \frac{2GM}{m_2 + m_1} \left(\frac{m_2}{\rho(t_0)^{-p}} + \frac{m_1}{\rho(t_0)^{-q}} \right) \quad (\beta)$$

S/022/62/015/005/001
D218/D308

On the stability ...

are satisfied for $h < 0$, then $\rho(t) \rightarrow \infty$ when $t \rightarrow \infty$. Theorem
2. If the inequalities

$$m_0 \geq m_1, \quad m_0 \geq m_2, \quad \rho(t_0) \geq \frac{2M^2}{3|h|} \quad (\alpha')$$

$$\dot{r}(t_0)^2 \geq \frac{2G(m_2 + m_1)}{r(t_0)}, \quad (\beta') \quad \checkmark$$

are satisfied for $h < 0$, then $R(t) \rightarrow \infty$. h is the constant energy of the system, G is the gravitational constant, ρ is the distance from A to the center of mass of B and C, R is the distance of A from the center of mass of the system, $M = m_0 + m_1 + m_2$, $p = [m_2/(m_1 + m_2)] r_{\max}$, $q = [m_1/(m_1 + m_2)] r_{\max}$, and r_{\max} is the upper limit for the minimum of r . If B has a small mass, the relative motion of A and C is elliptical, the departure in the coordinates and velocities of A and C from the Keplerian values is negligible when B, A, or B, C are close to each other, and if the inequalities

Card 2/4

On the stability ...

S/022/62/015/005/001/001
D218/D308

$$\rho > p \quad \rho > q \quad (\alpha)$$

$$\rho(t_0)^2 \geq 2G \left(\frac{m_0}{\rho(t_0)-q} + \frac{m_2}{\rho(t_0)-p} \right) \quad (\alpha')$$

are satisfied for $h < 0$, then $\rho(t) \rightarrow \infty$. Finally the restricted problem of Jacobi is considered. It is shown that in this case (Theorem 4) if

$$r\bar{v}_T = \text{const} \quad (\beta)$$

$$v_{10}^2 \geq 2G \left(\frac{m_1}{r_{10}} + \frac{m_2}{r_{20}} \right). \quad (\beta')$$

then $r \rightarrow \infty$ when $t \rightarrow \infty$ (\bar{v}_T - transverse velocity). The rest of the paper is concerned with (1) the escape of one of the three bodies in a special case when it has a small mass, and (2) the change in the nature of the motion in the three body system after two of the bodies approach each other closely. These two cases are discuss-

Card 3/4

On the stability ...

S/022/62/015/005/001/001
D218/D308

sed in terms of specific numerical examples and special configurations. There are 14 figures.

ASSOCIATION:

Gruzinskiy politekhnicheskiy institut im. V.I.
Lenina (Georgian Polytechnic Institute im. V.I.
Lenin)

SUBMITTED:

May 29, 1962

Card 4/4

TEVZADZE, G.N.

Concerning a certain class of nets. Trudy Mat. inst. AN Gruz.
SSR 27:165-170 '60. (MIRA 15:3)
(Congruences (Geometry))

TEVZADZE, G.P.

On one problem of the network theory and on some classes of
surfaces of projective space. Soob.AN Gruz.SSR 22 no.1:9-15
Ja '59. (MIRA 12:5)

1. AN GruzSSR, Tbilisskiy matematicheskiy institut im. A.M.Razmadze.
Predstavлено членом-корреспондентом Академии Г.С. Чогощвили.
(Geometry, Differential--Projective)

21(5)

AUTHORS: Kucherov, R. Ya., Tevzadze, G. A. SOV/89-6-2-16/28

TITLE: Separation Cascades Consisting of Diffusion Columns (Raz-delitel'nyy kaskad iz diffuzionnykh kolonok)

PERIODICAL: Atomnaya energiya, 1959, Vol 6, Nr 2, pp 207 - 208 (USSR)

ABSTRACT: At the All-Union Scientific and Technical Conference on the Application of Radioactive and Stable Isotopes G. F. Barvikh and R. Ya. Kucherov reported on a laboratory separation plant consisting of 10 diffusion columns. Neon, argon and carbon isotopes were separated by means of that diffusion plant. The gas flow in the plant is obtained by the hydrodynamic pressure drop at the diaphragms. The passing gas quantity is measured by means of a capillary gas-flow counter. The diaphragms in these 10 columns have a total surface of 1.25 m^2 , each column is 1 m long. The cascade requires electric energy of 7-8 kw. Xylene is used as working liquid. The cascade operates at a pressure of 100 - 300 mm Hg. At a pressure of 280 mm Hg stationary equilibrium is attained in the separation of neon isotopes after 60 hours approximately. The results obtained are given in the following table:

Card 1/2

Separation Cascades Consisting of Diffusion Columns

SOV/89-6-2-16/28

Gas to be Separated	Isotope	Number of Cascades	Gas Consumption n.cm ³ /24h	Initial Concentration in %	Concentration of the Separated Isotope in %
Neon	N ²²	10	400	9.2	99
Argon	Ar ³⁶	9	175	0.31	14
Methane	C ¹³	9	500	1.1	12

There are 1 figure and 1 table.

SUBMITTED: September 17, 1958

Card 2/2

TEVZADZE, G.N.

Codazzi quasi-euclidean pair of conjugated connectivities. Izv. vys.
ucheb. zav.; mat. no.4:178-186 '60. (MIRA 13:10)

1. Matematicheskiy institut AN GrSSR.
(Calculus of tensors)

TEVZADZE, G.N.

Some nets in spaces of affine connection. Soob. AN Gruz. SSR 19
no.6:641-648 D '57. (MIRA 11:6)

1.Tbilisskiy matematicheskiy institut im. A.M. Razmadze AN GruzSSR.
Predstavлено членом-корреспондентом AN GruzSSR G.S. Chogoshvili.
(Geometry, Differential)

TEVZADZE, G.N.

Straight lines of canonical bundles. Soob. AN Gruz. SSR 18 no.5:
513-519 My '57. (MLRA 10:9)

1. Tbilisskiy gosudarstvennyy universitet imeni I.V. Stalina. Pred-
stavлено членом-корреспондентом Академии Г.С. Чогогшвили.
(Geometry, Differential)

TEVZADZE, G.N.

Weyl and Riemann geometries induced on a surface by straight lines
of a canonical family. Soob.AN Gruz.SSR 23 no.6:649-656 D '59.
(MIRA 13:6)

1. Tbilisskiy matematicheskiy institut im. A.M.Razmadze AN GruzSSR.
Predstavлено членом-корреспондентом Академии Г.С.Чогoshvili.
(Geometry, Algebraic)

TEVZADZE, G. N.

Call Nr: AF 1108825

Transactions of the Third All-union Mathematical Congress *(Cont.)
Moscow
Jun-Jul '56, Trudy '56, V.1, Sect. Rpts. Izdatel'stvo AN SSSR, Moscow, 1956, 237 pp.
Skornyakov, L. A. (Moscow) Homomorphisms of Projective
Planes and T-homomorphisms of Ternaries. 169-171

Smogorzhevskiy, A. S. (Kiev). On One Metric Geometry.

Solodovnikov, A. S. (Moscow) Projective Transformations
of Riemann Spaces and Spaces With Common Geodesics. 171-172

Tevzadze, G. N. (Tbilisi). On Riemannian Metrics of
Surfaces in a Projective Space. 172

Mention is made of Norden, A. P.

Tuganov, N. G. (Tomsk). Congruence of Surface Indicatrices
in 3-Dimensional Space. 172-173

There are 2 references, both of them USSR.

Udanovskiy, M. A. (Khar'kov). On Holonomy Groups of
Affine Connectivity Spaces. 174
Card 55/80

*

TEVZADZE, G. N.

Completely stratifiable pairs of congruences. Izv. vys. ucheb.
zav.; mat. no.2:190-198 '60. (MIRA 13:7)

I. Tbilisskiy matematicheskiy institut im. A.M. Razmadze AN
Gruzinskoy SSR.
(Congruences (Geometry))

715. Бутишлале Тевана Ван
Аннодориани. Академическое изучение вопросов гидро-
энергетического хозяйства Аджарии и ее гидро-
энергетического размещения. Тифлис. 1955. 114 с.
Заг.- 1956, 162.
716. Бетра Мах Несторови-
ч. Репрессивное значение подавления де-
спотизма Саор. 1937.
- Заг.- 1937, 5, 6.
717. Гебалае Николай Арак-
севич. Применение комплексных и ин-
тегральных методов в теории физи-
ческих явлений. Кутаиси. 1953. 66 с.
- (Кутаисский нац. инст. Тр. Кутателадзе).
Т. 11. Сочин. АН ГССР. т. 15, № 10. рабоч. Заг.- 1954, 105 с. (Грузинская педагогика).
- Заг.- 1954, 2612.
718. Газзаев Константин Ау-
кич. О некотором представлении теории
атома. Альбом научных работ. 1957. Од. [3] с.
Заг.- 1957, 149.
719. Герасим Тевана Георги-
ческий. О гравитационных задачах
сопротивления и сопротивления материа-
лов Уральского. 1954. 111 с.
Заг.- 1954, 2711.
720. Гергашвили Алексей Яко-
вич. Об одном применении метода по-
искования предпочтительных в теории
упругости. 1957. 9, 10.
- Заг.- 1957, 9, 10.
721. Гуц Шоха Несторови-
ч. О теории упругих Абеля. Сурулан. 1955.
56 с. (Сурдзин. отд. науч.).
Заг.- 1956, 74.
722. Магарелла Леван Геор-
гиевич. Некоторые основные грани-
чины задачи гидромеханики задач для
контакта суперпозиции. 1959. 68 с.
Заг.- 1959, 236.
723. Магниторамазия Яросла-
вович. О присоединении решений
дифференциального уравнения квадро-
лического типа с использованием ковари-
антных в случае двух взаимосвязанных пере-
менных. (Пр. Тбили. матем. инст.) т. 4.
1959. Заг.- 1959, 175.

724. Пачарашвили Николоз Нико-
лаевич. Историческое значение гидро-
энергетического размещения сан-
кт-петербургской в области тех.
1941. 107 с. (Пр. ТГУ. т. 48, 1955; т. 56,
1956, 244.
- Заг.- 1948, 102.
725. Саломе Вахарад Тара-
сович. Представление полуциклических
явл. Ли с изучением математических
разрешений подавления. 1955. 157 с.
Заг.- 1956, 102.
726. Телавашвили Георгий Никола-
евич. О внутреннем разрешении гидро-
энергетики. Пространство пространство про-
екта. Тбилиси. 1954. 105 с. (Грузинская педагогика).
- Заг.- 1954, 275.
727. Хаджигиоргия Георги-
евна. К теории информации обрабо-
тания изображений. Грузинская областная за-
щита докторант. 1957. Од. [3] с.
Заг.- 1957, 107 с. (Пр. Тбили. матем. инст.).
728. Хаджигиоргия Георги-
евна. Решение задачи Кирхгофа
 методом теории функций комплексного
переменного. Баку. 1959 (Азер. гос. Уни-
верситет). (Изв. АН Азерб.- ССР. 1949,
- № 4).
- Заг.- 1959, 175.
729. Хаджигиоргия Георги-
евна. Решение задачи Кирхгофа
 методом теории функций комплексного
переменного. Баку. 1959 (Азер. гос. Уни-
верситет). (Изв. АН Азерб.- ССР. 1949,
№ 4).
- Заг.- 1959, 175.
730. Хаджигиоргия Георги-
евна. О единстве методов интегрирования
вопроса о задачах гидромеханики
упругих тел. 06 davon wurde untersucht
die Einheit der Methoden der Integration
der Probleme der hydro-mechanischen
Festigkeitslehre III-го Typs. B.
H., 6, p. 52 с.
- Заг.- 1949, 246.
731. Чавчавадзе Михаил Иса-
акович. Основные гидравлические
задачи. Установленыся упругих ма-
териалов для областей с условиями конти-
нуйности с условиями анти-
импульса. 1954. 73 с.
Заг.- 1954, 264.

Def. at
Tbilisi State U.
604
Description for Agents of
Candidate National Science

TEVZADZE, G.N.

Internal geometries of surfaces of a projective space induced by the
straight lines of a canonical family. Soob.AN Gruz.SSR no.5:513-519
N '59. (MIRA 13:6)

1. Tbilisskiy matematicheskiy institut im. A.M.Razmadze AN GruzSSR.
Predstavleno chlenom-korrespondentom Akademii G.S.Chogoshvili.
(Topology)

TEVZADZE, G. N.

"Internal Riemann Geometrics on Surfaces of a Projective Space." Cand Phys-Math Sci, Tbilisi U, Tbilisi, 1954. (RZhMat, Nov 54)

Survey of Scientific and Technical Dissertations Defended at USSR Higher Educational Institutions (11)

SO: Sum. No. 521, 2 Jun 55

TEVERAEK, G.N.

Fibering surfaces of perfectly stratifiable normalization. Trudy Mat.
Inst. AN Cruz. SSR 29:65-75 '63. (MIRA 17:12)

Normalizations appertaining to a linear complex of straight lines.
Ibid. 27:1-101

TEVZADZE, G.N.

Tensor theory of straight line congruences in projective space.
Soob. AN Gruz. SSR 35 no.1:9-14 Jl '64.

(MIRA 17:10)

1. Tbilisskiy matematicheskiy institut imeni Razmadze AN GruzSSR.
Predstavleno akademikom G.S. Chogoshvili.

KANDELAKI, B.S.; ARUTYUNOVA, L.B.; KACHAKHIDZE, T.G.; NORAKIDZE, T.K.;
TEVZADZE, K.P.

Objective methods of evaluating the quality of black tea.
Izv.vys.ucheb.zav.; pishch.tekh. no.6:130-135 '59.
(MIRA 13:5)

1. Gruzinskiy politekhnicheskiy institut imeni V.I.Lenina.
Kafedra fizicheskoy i kolloidnoy khimii.
(Tea--Analysis)

TEVZADZE, N.

On the Summability of Double Series by the Lebesgue Method
Tr. Tbilis. un-ta. Vol 52, 1954, pp 19-20 (Georgian resume)

The author proves the equivalence of two separate statements of the problem of the summability of double series. This makes it possible to reach a conclusion on the summability of the series, and to find the sum itself under certain conditions. (RZhMat, No 5, 1955)

SO: Sum. No. 639, 2 Sep 55

DEVZALOG, N. A.

26899

K Voprosy V Ratsionalizatsii Proizvodstva Geodezicheskikh I Topograficheskikh Fabot
Pri Krupnom Promyslannom Stroitel'stve. Trudy (Gruz. Politekhn, In - T Im. Kirova),
No. 18, 1949, S. 123-41 - Rezyume Na Gruz. Yaz
G. Mekhanika Gidromekhanika, Aeromekhanika

SOK LETOPIS NO. 34

TEVZADZE, N. A.

26899: TEVZADZE, N. A. - K voprosu o retionalizatsii preizvodstva geodezicheskikh i topo-
graficheskikh reit pri krupnom promyshlennom stroitel'stve. Trudy (Truz. Poli)-
tekhn. In-t im. Kirrova) No. 18, 1949, s. 123-41. - Rezyume na russ. Yez.

SC: Letopis' Zhurnal'nykh Statey, Vol. 36, 1949.

TEVZADZE, N. A.

Tevzadze, N. A. - "The necessity for accuracy in the plans and geodetic principles in the design and construction of engineering structures," A commemorative collection of transact ion dedicated to the 25th anniversary of the Institute, (Gruz. politekhn. in-t im. Kirova, No 17), Tbilisi, 1948, p. 281-307, (Resume in Georgian)

SO: U-5240, 17, Dec. (Letopis ' Zhurnal 'nykh Statey, No. 25, 1949).

TEVZADZE, N. A.

Doc Tech Sci - (diss) "Theoretical foundations of the mathematical treatment of mine surveyor's-geodesic measurements." Tbilisi, 1961. 4 pp; (State Committee of Higher and Secondary Specialist Education of the Council of Ministers Georgian SSR, Georgian Order of Labor Red Banner Polytechnic Inst imeni V. I. Lenin); 350 copies; free; (KL, 7-61 sup, 230)

TEVZADZE, N.R.

Lebesgue points of a function of two variables. Soob. AN Gruz.
SSR 32 no. 1:17-22 O '63. (MIRA 17:9)

1. Tbilisskiy gosudarstvennyy universitet. Predstavлено
akademikom G.S. Chogoshvili.

CONTINUED

APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001755520002-4"

TEVZADZE, N.R.

Addition of double numerical series by the Lebeg method. Soob, AM
Gruz. SSR 14 no.2:71-76 '53. (MLRA 7:5)

1. Tbilisskiy gosudarstvennyy universitet im. Stalina.
(Fourier's series)

TEVZADZE, V. G.

Digitized by srujanika@gmail.com

Def. at
Tbilisi State U.

TEVZADZE, V.G.

Differentiation of the intensity and duration of labyrinthine
stimulations. Zhur. vys. nerv. deiat. 11 no.6:1099-1105 N-D
'61. (MIRA 15:3)

1. Laboratory of Physiology, Baratashvili Pedagogical
Institute, Gori.
(CONDITIONED RESPONSE)
(LABYRINTH (EAR))

TEVZADZE, V. G.

"Effect of Irritation of the Cerebral Nerve on Reflex Reactions." Cand
Biol Sci, Tbilisi State U, Tbilisi, 1953. (RZhBiol, No 3, Oct 54)

Survey of Scientific and Technical Dissertations Defended at USSR Higher
Educational Institutions (10)

SO: Sum. No. 481, 5 May 55

TEVZODZE, G.N.

Riemann's interior geometries of projective space surfaces. Trudy
Mat.inst. AN Gruz.SSR 22:103-126 '56. (MLRA 10:3)
(Geometry, Differential) (Riemann surfaces)

1 00000000 00000000 00000000 00000000 00000000 00000000 00000000 00000000 00000000 00000000

1 00000000 00000000 00000000 00000000 00000000 00000000 00000000 00000000 00000000 00000000

ACCESSION NR: A1404917

AUTHOR: Tewes, A.

TITLE: Recent developments in the field of electronic miniaturization 25

SOURCE: Radio und Fernsehen, no. 21, 1964, 659-661

TOPIC TAGS: miniaturization switching circuit, transistor, tantalum film, thin film
circuit, semiconductor, NAND gate, impedance converter

Card 1/3

"APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001755520002-4

AIR FORCE AIRCRAFT ANALYSIS

APPENDIX D: STAGE II TURBINE ENGINE ANALYSIS - AIRCRAFT ANALYSIS

STAGE II TURBINE ENGINE ANALYSIS

STAGE II TURBINE ENGINE ANALYSIS

Card 2/3

APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001755520002-4"

L 24326-65

ACCESSION NR: AP4049378

recrystallization temperature, tantalum is particularly well suited to the manufacture of resistors and capacitors. The author calls attention to the fact that in several ways linear filters have been improved by the use of tantalum resistors. The author also discusses the use of tantalum resistors in the manufacture of capacitors. The author concludes that tantalum resistors are superior to other types of resistors in many respects.

ASSOCIATION: none

SUBMITTED: 00 ENCL: 00 SUB CODE: IE, EC, D/P

NO REF Sov: 000 OTHER: 000

Card 3/3

TEXL, K., inz.

Anchor towers for electric cables in Finland. El tech obzor 53
no. 10:573-574 O '64.

TEYF, A.Z.; KHIMICHEVA, Z.I.

Progressive method for the calculation of production costs. Ber.
prom. 13 no.4:12-14 Ap '64. (MIRA 17:4)

TEXL, A.

Effect of catechol complexes from tea leaves on experimental
inflammation. Cas. lek. cesk. 102 no.19:515-519 10 My '63.

1. Farmakologicky ustav lekarske fakulty UJEP v Brne, prednosta
MUDr. J. Sajner, CSc.
(TEA) (EDEMA) (INFLAMMATION) (TANNINS)
(CATECHOL) (HYALURONIDASE)

TEXI, L.

TEXI, L. Credit for rationalization of building. p. 109

Vol. 4, no. 3, March 1956
POZEMNÍ STAVBY
TECHNOLOGY
Praha, Czechoslovakia

Sb: East European Accession Vol. 6, no. 2, 1957

S. A.

Sect. D

Transmissions

621.315.17

1962. - Construction of 220 kV transmission lines.
K. Tiza. Elektrotech. Obz., 48, 280-5 (No. 15-18,
1961) 26 Czech.

Detailed description of the design, construction
and erection of single and double-circuit towers used
on 220 kV transmission lines in Czechoslovakia.
Notes on auxiliary equipments and on methods of
joining steel-cored aluminium cables. H. NOREL

TEXTER, H.

Yugoslavia (430)

Technology

Causes and prevention of drill pipe and
tool joint troubles. (to be contd.)
Tr. from the English. p. 195. A letter
from D. B. Taliaferra. p. 205. MAFTA.
Vol. 3, no. 7, July 1952.

East European Accessions List. Library of
Congress. Vol. 2, no. 3, March 1953. UNCLASSIFIED.

TEXL, A.; HLADKY, R.

Attempts at transplantation of papilloma of the larynx. Neoplasma,
Bratisl.7 no.4:408-413 '60.

1. Institute of Pharmacology, Faculty of Medicine, Brno University,
Oto-Rhino-Laryngological Clinic, Faculty of Medicine, Brno
University, Czechoslovakia.
(LARYNX neopl)
(PAPILLOMA exper)

TEXL, A.

Effect of tannin on the uterus and plexuses. Cesk. fysiol. 8 no.3:
252-253 Apr 59.

1. Farmakologicky ustav lek. fak. KU, Brno. Predneseno na III.
fysiologickych dnech v Brne dne 14. 1. 1959.

(UTERUS, eff. of drugs on,
tannin (Cz))

(TANNIN, eff.
on uterus (Cz))

TEXL, A.

Anti-inflammatory effect of tannin. Česk. fysiol. 9 no.1:93-94
Ja 60.

1. Farmakologicky učastek fak. MU, Brno.
(TANNINS, pharmacol.)
(INFLAMMATION, exper.)

"APPROVED FOR RELEASE: 03/14/2001 CIA-RDP86-00513R001755520002-4

TEAL, DAVIS

APPROVED FOR RELEASE: 03/14/2001 CIA-RDP86-00513R001755520002-4"